

Primary Care Consultation Request

Initiation of Hepatitis C Treatment in Victoria

Alfred Hospital Liver Clinic (Gastroenterology)	Fax: (03) 9076 2194
Alfred Hospital Infectious Diseases	Fax: (03) 9076 6528
Austin Health Liver Clinic	Fax: (03) 9496 2097
Box Hill Hospital Liver and Hepatitis Clinics	Fax: (03) 9895 4852
St Vincent's Hospital Melbourne Liver & Hepatitis Clinic	Fax: (03) 9231 3596
The Royal Melbourne Hospital Liver Clinic	Fax: (03) 9342 7848
Victorian Infectious Diseases Service – Infectious Hepatitis Clinic	Fax: (03) 9342 7277
Western Health Hepatitis Clinic	Fax: (03) 8345 7217

FOR ATTENTION OF: Dr

Date:

Please note this form is not a referral for a patient appointment.

Referring Practitioner			
<i>Note: General practitioners and nurse practitioners are eligible to prescribe hepatitis C treatment under the PBS</i>			
Name			
Suburb		Postcode	
Phone	()	Fax	()
Mobile phone			
Email address			
Patient			
Name			
Date of birth			
Postcode			

<p>Hepatitis C History</p> <p>Date of hepatitis C (HCV) diagnosis:</p> <p>Known cirrhosis* <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><small>*Patients with cirrhosis, or HBV/HIV coinfection with HCV should be referred to a specialist.</small></p>	<p>Intercurrent Conditions</p> <p>Diabetes <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Obesity <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Hepatitis B (HBV)* <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>HIV* <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Alcohol > 4 standard drinks/day (> 40 g/day) <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Discussion about contraception <input type="checkbox"/> Yes <input type="checkbox"/> No <small>(Contraception recommended for duration of treatment as safety of DAA treatment during pregnancy not yet established, if Ribavirin is used - two modes of contraception recommended for duration of treatment and 6 months post-treatment).</small></p>
<p>Prior Antiviral Treatment</p> <p>Has patient previously received any antiviral treatment? (please add detail below) <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Has prior treatment included oral antiviral therapy? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Prior treatment:</p> <p>I have checked for potential drug–drug interactions with current medications† <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Current Medications <small>(Prescription, herbal, over the counter, recreational)</small></p> <p>† http://www.hep-druginteractions.org If possible, print and fax a PDF from this site showing you have checked drug–drug interactions.</p>

Primary Care Consultation Request Initiation of Hepatitis C Treatment in Victoria

Laboratory Results (or attach copy of results)

Test	Date	Result	Test	Date	Result
HCV genotype			Creatinine		
HCV RNA level			eGFR		
ALT			Haemoglobin		
AST			Platelet count		
Bilirubin			INR		
Albumin			HBsAg		

Liver Fibrosis Assessment**

Test	Date	Result
FibroScan		
Other (eg. APRI)		

APRI: <http://www.hepatitisc.uw.edu/page/clinical-calculators/apri>

** People with liver stiffness on FibroScan of ≥ 12.5 kPa, or an APRI score ≥ 1.0 may have cirrhosis and should be referred to a specialist.

Treatment Choice[#]

I plan to prescribe (please select/tick one):

Regimen	Duration		Genotypes
Sofosbuvir + Velpatasvir	12 weeks <input type="checkbox"/>		1, 2, 3, 4, 5, 6
Glecaprevir + Pibrentasvir	8 weeks <input type="checkbox"/> <i>No cirrhosis</i>	12 weeks <input type="checkbox"/> <i>Cirrhosis</i>	1, 2, 3, 4, 5, 6
Elbasvir + Grazoprevir	12 weeks <input type="checkbox"/>		1 or 4
Sofosbuvir + Ledipasvir	8 weeks <input type="checkbox"/> <i>No cirrhosis, treatment-naïve</i>	12 weeks <input type="checkbox"/>	1

[#]Multiple regimens are available for the treatment of chronic HCV. Factors to consider include HCV genotype, cirrhosis status, prior interferon treatment, viral load, potential drug–drug interactions and comorbidities.

See *Australian Recommendations for the Management of Hepatitis C Virus Infection: A Consensus Statement (September 2018)* (<http://www.gesa.org.au>) for all regimens, and for monitoring recommendations.

Patients must be tested for HCV RNA at least 12 weeks after completing treatment to determine outcome. Please notify the specialist below of the Week 12 post-treatment result. Patients who relapse after direct-acting antiviral therapy should be referred to a specialist for retreatment.

Declaration by General Practitioner/Nurse Practitioner

I declare all of the information provided above is true and correct.

Signature:	
Name:	
Date:	

Approval by Specialist Experienced in the Treatment of HCV

I agree with the decision to treat this person based on the information provided above.

Signature:	
Name:	
Date:	

Once completed, please return both pages by email:
or fax: ()